

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

## NATALITY

TOTAL LIVE BIRTHS			939	Birth Order		Births	Percent	Marital Status					
Crude Live Birth Rate			12.6	First		379	40	of Mother		Births	Percent		
General Fertility Rate			56.8	Second		331	35	Married		722	77		
				Third		142	15	Not married		217	23		
				Fourth or higher		87	9	Unknown		0	0		
Live births with reported congenital anomalies			20	2.1%	Unknown		0	0					
				First Prenatal Visit		Births	Percent	Education of Mother			Births	Percent	
Delivery Type			Births	Percent	1st trimester		776	83	Elementary or less			27	3
Vaginal after previous cesarean			27	3	2nd trimester		137	15	Some high school			87	9
Forceps			41	4	3rd trimester		24	3	High school			321	34
Other vaginal			681	73	No visits		1	<.5	Some college			263	28
Primary cesarean			120	13	Unknown		1	<.5	College graduate			240	26
Repeat cesarean			70	7					Unknown			1	<.5
Other or unknown			0	0									
					Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother			Births	Percent
Birth Weight			Births	Percent	No visits		1	<.5	Smoker			158	17
<1,500 gm			5	0.5	1-4 visits		9	1	Nonsmoker			781	83
1,500-2,499 gm			44	4.7	5-9 visits		146	16	Unknown			0	0
2,500+ gm			890	94.8	10-12 visits		445	47					
Unknown			0	0.0	13+ visits		336	36					
					Unknown		2	<.5					

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	14
Giardiasis	22
Hepatitis Type A	<5
Hepatitis Type B**	<5
Hepatitis NANB/C***	
Legionnaire's	0
Lyme	<5
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	0
Pertussis	<5
Salmonellosis	17
Shigellosis	<5
Tuberculosis	<5

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	68
Genital Herpes	14
Gonorrhea	9
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	<5
Syphilis	.

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	15,288
Non-compliant	197
Percent Compliant	98.7

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	612
Crude Death Rate	823

Age	Deaths	Rate
1-4	1	.
5-14	3	.
15-19	3	.
20-34	9	.
35-54	55	251
55-64	61	902
65-74	106	2,224
75-84	186	5,613
85+	185	15,683

Infant

Mortality	Deaths	Rate
Total Infant	3	.
Neonatal	3	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	3	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	3	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	6	.
Neonatal	3	.
Fetal	3	.

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	188	253
Ischemic heart disease	.	.
Cancer (total)	146	196
Trachea/Bronchus/Lung	.	.
Colorectal	18	.
Female Breast	10	.*
Cerebrovascular Disease	59	79
Lower Resp. Disease	.	.
Pneumonia & Influenza	11	.
Injuries	20	27
Motor vehicle	11	.
Diabetes	18	.
Infectious & Parasitic	14	.
Suicide	11	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	11	.
Other Drugs	8	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	670	15
Alcohol-Related	90	8
With Citation:		
For OWI	57	0
For Speeding	61	0
Motorcyclist	16	0
Bicyclist	11	1
Pedestrian	11	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	583	7.8	4.7	\$12,162	\$95
<18	60	3.2	3.9	\$11,422	\$36
18-44	142	4.8	3.6	\$9,995	\$48
45-64	123	7.3	4.8	\$14,586	\$107
65+	258	27.9	5.5	\$12,371	\$345
<b>Injury: Hip Fracture</b>					
Total	86	1.2	5.9	\$14,942	\$17
65+	74	8.0	5.8	\$14,482	\$116
<b>Injury: Poisonings</b>					
Total	39	0.5	1.8	\$3,665	\$2
18-44	19	.	.	.	.
<b>Psychiatric</b>					
Total	386	5.2	11.3	\$9,201	\$48
<18	90	4.8	13.9	\$13,275	\$63
18-44	176	6.0	8.9	\$6,648	\$40
45-64	65	3.9	12.3	\$9,168	\$36
65+	55	5.9	13.3	\$10,743	\$64
<b>Coronary Heart Disease</b>					
Total	488	6.6	4.1	\$17,537	\$115
45-64	199	11.9	3.4	\$17,754	\$211
65+	268	28.9	4.7	\$17,962	\$520
<b>Malignant Neoplasms (Cancers): All</b>					
Total	310	4.2	5.8	\$14,078	\$59
18-44	41	1.4	6.3	\$17,269	\$24
45-64	82	4.9	5.4	\$15,290	\$75
65+	181	19.5	5.7	\$12,168	\$238
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	39	1.0	1.8	\$6,849	\$7
<b>Neoplasms: Colo-rectal</b>					
Total	45	0.6	8.0	\$16,051	\$10
65+	31	3.3	8.8	\$17,527	\$59
<b>Neoplasms: Lung</b>					
Total	36	0.5	5.3	\$8,882	\$4
<b>Diabetes</b>					
Total	110	1.5	4.8	\$8,815	\$13
65+	38	4.1	5.4	\$9,707	\$40

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	157	2.1	3.7	\$5,159	\$11
18-44	94	3.2	2.9	\$3,141	\$10
45-64	46	2.7	5.4	\$9,194	\$25
<b>Pneumonia and Influenza</b>					
Total	251	3.4	4.6	\$7,237	\$24
<18	39	2.1	2.8	\$4,531	\$9
45-64	41	2.4	3.8	\$5,919	\$14
65+	137	14.8	5.2	\$5	\$0
<b>Cerebrovascular Disease</b>					
Total	198	2.7	4.7	\$9,899	\$26
45-64	34	2.0	4.0	\$8,510	\$17
65+	160	17.3	4.9	\$9,911	\$171
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	168	2.3	3.8	\$5,909	\$13
<18	27	1.4	2.0	\$3,291	\$5
18-44	21	0.7	2.6	\$4,249	\$3
45-64	40	2.4	3.7	\$5,904	\$14
65+	80	8.6	4.7	\$7,231	\$62
<b>Drug-Related</b>					
Total	38	0.5	4.4	\$3,871	\$2
18-44	22	0.7	3.1	\$2,389	\$2
<b>Total Hospitalizations</b>					
Total	8,060	108.4	4.0	\$8,253	\$895
<18	1,482	78.6	3.2	\$4,220	\$332
18-44	2,076	70.4	3.2	\$6,031	\$425
45-64	1,564	93.3	4.1	\$10,763	\$1,005
65+	2,938	317.3	4.9	\$10,520	\$3,338

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	1,085	14.6	3.9	\$6,318	\$92
<18	149	7.9	2.3	\$3,271	\$26
18-44	134	4.5	3.2	\$5,617	\$26
45-64	217	12.9	4.0	\$7,269	\$94
65+	585	63.2	4.5	\$6,901	\$436

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.